



FIAT AGRI

 Code 

0-9

604.030-035-041 144

615.000 134

8035.01 134

8035.02 136

8035.04 136

8035.05 138



8035.06 136

8045.01 138

8045.02 138

8045.04 140

8045.05 140

 Code 

8045.06 140

8045.25 140

8055.04 142

8055.05 142

8065.02 142

8065.04 142

8065.05 144



8065.06 142

8065.24 142

8065.25 142-144

8144.21/200 134

8144.61/200 134

 Code 

8200.02 146

8205.02 146

8215.02 146

8365.05 144



8365.25 144

C

CP3/100 144

D

D225-4 138

 Code 

D225-6 142

D226-4 142

D 227-3 138

D 227-4 140

D227-6 144

D 229-4 140

D229-6 144

T

TD229-6 144

FIAT AGRI

 Code 

 Code 

 Code 

 Code 

FIAT AGRI							
Ltr.							
2,3	615.000	4 Zyl. 29 kW (40 PS)	AD 4 DI 20 DI 25 DIM 20 DIM 25 DM30 FL 4 351 C 410 R 411 C 411 R 415 C 415 R 421 C 421 R 431 C 431 R 451 C	01/58→	S32279-00 ⑬ 1909233 D32279-00 1909233	H50796-00 566236 88 Ø 	
2,3	8035.01	3 Zyl. 28-35 kW (35-48 PS)	A 40 Agrifull A 45 Agrifull DM12 DM15 R 80.50 R 350 Agrifull 350 355 400 420 450 455 460 470 480 500	01/69→	S30638-00 ⑬ 1909527 D30638-00 1909256 +4601057	H07040-00 4601057 97,5 Ø 	
2,4	8144.21/200	4 Zyl. 53-68 kW (72-92 PS)	Aifo		S31311-01 ⑫ ⑬ D31311-00 ⑫ 1907787 B31311-00 ⑬	H50000-00 98471766 95 Ø 1,2 mm 10 mm 	T07684-00 4828150 (12x) +4854648 (10x)
2,4	8144.61/200	4 Zyl. 53-68 kW (72-92 PS)	Aifo		S36355-00 ⑫ ⑬ D36355-00 ⑫ B36355-00 ⑬	H07684-00 5891282 95 Ø 1,9 mm 10 mm 	T07684-00 4828150 (12x) +4854648 (10x)



X07041-01 4601047 		X07044-01 4776544 X07062-01 4602162 	X07042-01 3x X07043-01 ① 4606956 	E30638-00 1930305 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76371-01 K → 40000720 95x120x12/13 AB SL WD NBR
X02037-01 7302293 	N92430-00 P76544-00 4830224 8x	X07694-01 4x 98425767 	X51326-11 3x 7303077 X52638-01 7303077 	X07688-01 7301683 	P76305-11 K ← 40100301 70x90x10 A SL RD FPM P76364-11 K → 40100311 90x115x13/9,5 AB SL LD FPM P76188-01 N 50x70x10 B RD MVQ P76201-11 N 5000815434 55x70x8 AB SL RD FPM
X02037-01 7302293 X07685-01 7301481 	N92430-00 P76544-00 4830224 8x	X07694-01 4x 98425767 	X51326-11 4x 7303077 	X07688-01 7301683 	P76305-11 K ← 40100301 70x90x10 A SL RD FPM P76364-11 K → 40100311 90x115x13/9,5 AB SL LD FPM P76188-01 N 50x70x10 B RD MVQ P76201-11 N 5000815434 55x70x8 AB SL RD FPM



FIAT AGRI								
Ltr.								
2,6	8035.02	3 Zyl.	29-46 kW (39-62 PS)	C 80.50 Agrifull C 80.60 Agrifull CM DI 15 DI 20 DI 25 DIM 20 DIM 25 FL 4C 355 C 440 446 450 455 C 465 466 474 480 480 Agrifull 480 Special 500 500 C 500 S 540	01/72→		H50367-00 1907836 101,6 Ø 	
2,7	8035.04	3 Zyl.	35-43 kW (48-58 PS)	A 80.56 E Agrifull A 80.56 M Agrifull DI 15 DI 20 DI 25 DIM 20 DIM 25 505 C Super 565 C 566 570 580	01/79→	S32781-00 ⑬ 1930257 D32781-00 1930258	H50368-00 98472011 105 Ø 	
2,7	8035.06	3 Zyl.	33-40 kW (40-54 PS)	A 45 Agrifull A 50 Agrifull A 55 Agrifull DI 15 DI 20 DIM 20 DIM 25 45.66 45.75 45.76 45.86 45.90 50.66 50.75 50.86 50.90 55.46 55.56 55.65 55.66 55.75 55.76 55.86 55.90 60.86	01/79→	S32807-00 ⑬ 1909540 D32807-00 193025	H50367-00 1907836 101,6 Ø 	



X07041-01 4601047 		X07044-01 4776544 X07062-01 4602162 	X07042-01 	3x E30638-00 1930305 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM P76371-01 K → 40000720 95x120x12/13 AB SL WD NBR
X53537-01 4654361 NBR 		X07044-01 4776544 X07062-01 4602162 	X07042-01 X07043-01 4606956 	3x E30638-00 1930305 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM
X53537-01 4654361 NBR 		X07044-01 4776544 X07062-01 4602162 	X07042-01 X07043-01 4606956 	3x E30638-00 1930305 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76329-01 K → 99457401 114x135x13 AB SL LD FPM



FIAT AGRI								
Ltr.								
2,8	D 227-3	3 Zyl.	43-45 kW (58-61 PS)	566 E	A60068-00 ⑭ 	H00531-00 3x 1,2 mm H10531-10 3x 1,3 mm H20531-20 3x 110,5 Ø 1,4 mm 		
2,9	8035.05	3 Zyl.	37-44 kW (5-60 PS)	A 60 Agrifull A 60 L Agrifull 60.46 60.56 60.65 60.66 60.75 60.76 60.85 60.88 60.90 60.93 60.94 62.85 62.86	01/84→		H50368-00 98472011 105 Ø 	
3,1	8045.01	4 Zyl.	40-45 kW (52-70 PS)	550 555	01/69→	S32783-00 ⑬ 1905992 D32783-00	H50797-00 4601059 97,5 Ø 	
3,4	D225-4	4 Zyl.	50 kW (68 PS)	850 E		A60015-00 ⑭ 	H80814-00 4x 103,4 Ø 	
3,5	8045.02	4 Zyl.	43-60 kW (58-82 PS)	A 80.70 E Agrifull A 80.70 M Agrifull DIM 30 DIM 35 605 CM 605 CS 640 665 666 670 680	01/72→	S32096-00 ⑬ D32096-00 1940033	H07177-00 102,5 Ø 	

⑭ junta para múltiple de admisión/de escape / Dichtung Ansaug-/Abgaskrümmer / intake/exhaust manifold gasket / joint collecteur d'admission/d'échappement / guarnizione collettore di aspirazione/di scarico / прокладка всасывающего/выпускного колена



X83162-01 3x 		X82118-01 6x 	X82119-01 2x 	X54839-01 	P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM
		X89602-01 ⑦ 6x 			
X53537-01 4654361 NBR 		X07044-01 4776544 	X07042-01 3x 	E30638-00 1930305 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76329-01 K → 99457401 114x135x13 AB SL LD FPM
X53538-01 4601049 NBR 					
X83162-01 4x 		X07044-01 2x 4776544 	X07042-01 4x 	X54840-01 	P76322-01 K ← 78x100x14,5 AB FIL RD MVQ
X53015-01 NBR 				E31302-00 1930306 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM

⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала
⑮ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров



FIAT AGRI								
Ltr.								
3,6	8045.06	4 Zyl. 51-73 kW (70-100 PS)	01/84→	A31302-00 1930811 D31302-00 1909276	H07177-00 102,5 Ø			
		A 65 Agrifull A 70 C Agrifull A 70 F Agrifull A 70 L Agrifull 65.46 65.56 65.66 65.88 65.90 65.93 65.94 70.56 70.65 70.66 70.75 70.76 70.86 70.88 70.90 72.74 72.93						
3,7	8045.04	4 Zyl. 48-57 kW (65-78 PS)	01/76→	D32102-00 19040045	H50323-00 105,5 Ø			
		A 80.76 E Agrifull 765 C 766 780 855						
3,8	D 227-4	4 Zyl. 46-61 kW (63-83 PS)	780 E	A60069-00 ⑭ D64073-00 ⑱ 	H00531-00 4x 1,2 mm H10531-10 4x 1,3 mm H20531-20 4x 110,5 Ø 1,4 mm			
3,9	D 229-4	4 Zyl. 65 kW (88 PS)	FB 80	A60069-00 ⑭ D64073-00 ⑱ 	H00531-00 4x 1,2 mm H10531-10 4x 1,3 mm H20531-20 4x 110,5 Ø 1,4 mm			
3,9	8045.05 8045.25	4 Zyl. 57-64 kW (78-87 PS)	01/84→	D32102-00 19040045	H50323-00 105,5 Ø			
		A 80 C Agrifull A 80 F Agrifull 80.65 80.66 80.75 C 80.90 85.55 85.90						

⑦ junta para múltiple de admisión/de escape / Dichtung Ansaug-/Abgaskrümmer / intake/exhaust manifold gasket / joint collecteur d'admission/d'échappement / guarnizione collettore di aspirazione/di scarico / прокладка всасывающего/выпускного колена



X53015-01 NBR		X07044-01 4776544	2x	X07042-01 4x	E31302-00 1930306
X53015-01 NBR		X07044-01 4776544	2x	X07042-01 4x	E31302-00 1930306
X83162-01 4x			X82118-01 8x	X82119-01 2x	X54840-01
			X89602-01 ⑦ 8x		
X83162-01 4x			X82118-01 8x	X82119-01 2x	X54840-01
			X89602-01 ⑦ 8x		
X53015-01 NBR		X07044-01 4776544	2x	X07042-01 4x	E31302-00 1930306
					P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM P76329-01 K → 99457401 114x135x13 AB SL LD FPM
					P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM
					P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM
					P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM
					P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM

⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала
⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



FIAT AGRI							
Ltr.							
4,2	D226-4	4 Zyl. 55-64 kW (78-87 PS)	780 E		A60069-00 ⑭ D64073-00 ⑱	H00531-00 4x 1,2 mm H10531-10 4x 1,3 mm H20531-20 4x 110,5 Ø 1,4 mm 	
4,6	8055.04	5 Zyl. 65 kW (88 PS)	880 880.5 955 C	01/81→	S32091-00 ⑬ D32091-00 136519	H50375-00 4769444 105 Ø 	
4,9	8055.05	5 Zyl. 66-72 kW (90-98 PS)	A 90 Agrifull 90.90 95.55		S32091-00 ⑬ D32091-00 136519	H50375-00 4769444 105 Ø 	
5,1	D225-6	6 Zyl. 75 kW (102 PS)	980 E		A60008-00 ⑭ D64008-00 ⑱	H80814-00 6x 103,4 Ø 	
5,2	8065.02	6 Zyl. 72 kW (98 PS)	980 980 DT 1000 1000DT	01/71→	D32100-00 1940032	H09450-00 103 Ø 	
5,4	8065.06	6 Zyl. 74-90 kW (100-122 PS)	A 100 Agrifull F 100 100 100 S 100.80 100.90 100.90 DT	01/80→	A31304-00 ⑭ 1909764 ① →12/83 A32810-00 ⑭ 1930278 ① 01/84→ D31304-00 1909765 ① →12/83	H09450-00 103 Ø 	
5,5	8065.04 8065.24 8065.25	6 Zyl. 81-85 kW (110-115 PS)	1000 S 1180 1280 1380	01/78→	A31304-00 ⑭ 1909764 D31304-00 1909765	H09450-00 103 Ø 	

⑦ junta para múltiple de admisión/de escape / Dichtung Ansaug-/Abgaskrümmer / intake/exhaust manifold gasket / joint collecteur d'admission/d'échappement / guarnizione collettore di aspirazione/di scarico / прокладка всасывающего/выпускного колена



X83162-01 4x 			X82118-01 8x X82119-01 2x X89602-01 ⑦ 8x	X54840-01 	P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM
X53187-01 4845137 NBR 		X07044-01 2x 4776544 X07062-01 4602162 	X07042-01 5x 	E32091-00 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM
X53187-01 4845137 NBR 		X07044-01 2x 4776544 X07062-01 4602162 	X07042-01 5x 	E32091-00 	P76153-01 K ← 98461684 42x65x12 AB SL RD FPM P76229-01 K → 110x135x13 B SL LD FPM
X83162-01 6x 			X82118-01 12x X82119-01 3x X89602-01 ⑦ 12x	X54841-01 	P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM
X53014-01 NBR 		X07044-01 3x 4776544 	X07042-01 6x 	E31304-00 	
X53014-01 NBR 		X07044-01 3x 4776544 X07062-01 4602162 	X07042-01 6x 	E31304-00 	
X53014-01 NBR 		X07044-01 3x 4776544 	X07042-01 6x 	E31304-00 	

⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала
⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



FIAT AGRI							
Ltr.							
5,7	D227-6	6 Zyl.	71-107 kW (97-145 PS)	1080 E	A60070-00 ⑭ D64073-00 ⑱	H00531-00 6x H10531-10 6x H20531-20 6x 	
5,9	D229-6 TD229-6	6 Zyl.	97-118 kW (132-160 PS)	AD7 B AD7 D FA 120 FD 9 FE 105 FE 105B S 90	A60070-00 ⑭ D64073-00 ⑱	H00531-00 6x H10531-10 6x H20531-20 6x 	
5,9	8065.05 8065.25	6 Zyl.	81-100 kW (110-135 PS)	A 110 Agrifull A 110 S Agrifull A 140 Agrifull 100.80 100.90 110.90 115.90 115.90 DT 130.90 130.90 DT 140.90	01/81→	A31305-00 ⑭ 1930849 D31305-00 1930199	H50001-00 105 Ø
6,9	604.030-035-041	4 Zyl.	81-100 kW (110-135 PS)	AD 7 FL 8 FR 8 70 C 70 C1 80 CA 80 R	→12/71		H50801-00 583529 127,5 Ø
7,4	CP3/100	6 Zyl.	96-110 kW (130-150 PS)	120 C 150 C 1300 1300 Super	01/73→	D32092-00	H50371-00 114,4 Ø
8,1	8365.05	6 Zyl.	94-114 kW (128-155 PS)	FD 14E FL 14E FR 14B 1580	01/80→		H50810-00 4845364 117,5 Ø
8,1	8365.25	6 Zyl.	132-147 kW (180-200 PS)	160.55 C 160.90 180.55 180.90 1580 Turbo 1880 Turbo	01/80→	D32093-00 1909765	H50326-00 117,5 Ø









⑦ junta para múltiple de admisión/de escape / Dichtung Ansaug-/Abgaskrümmer / intake/exhaust manifold gasket / joint collecteur d'admission/d'échappement / guarnizione collettore di aspirazione/di scarico / прокладка всасывающего/выпускного колена



X83162-01 6x 		X82118-01 12x X82119-01 2x X89602-01 ⑦ 12x	X54841-01	P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM	
X83162-01 6x 		X82118-01 12x X82119-01 2x X89602-01 ⑦ 12x	X54841-01	P76322-01 K ← 78x100x14,5 AB FIL RD MVQ P76404-01 K → 110x130x13 B SL LD PTFE ACM	
X53014-01 NBR 		X07044-01 3x 4776544 	X07042-01 6x 	E31304-00 	
X53095-01 2x 					
X53095-01 2x 					
X53095-01 2x 					

⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала
⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров



FIAT AGRI							
Ltr.							
9,8	8200.02 8205.02	6 Zyl.	100-147 kW (136-200 PS)	150 C 150 CD		H50329-00 127 Ø 1,4 mm 	2x
13,8	8215.02	6 Zyl.	191 kW (260 PS)	180 C 200 C		H50804-00 4745908 139 Ø 	2x

